

**FËMIJA QË NUK DËGJON NË SHQIPËRI
(VLERËSIMI AUDIOLOGJIK I 400 FËMIJËVE 4-6 VJEÇ)**

SUELA SALLAVACI, YLLI SALLAVACI*

Summary

**DEAF CHILDREN IN ALBANIA
(AUDIOLOGICAL EVALUATION OF 400 CHILDREN 4-6 YEARS OLD)**

Hearing loss, regardless of etiology, affects speech and language development of infants and the young children. Early identification of hearing loss, with prompt and appropriate intervention and management, is essential if the child is to reach his/her communication and educational potential.

400 children of the city of Tirana were evaluated during period November 2000- October 2002 about the hearing loss problems, 206 of them are female and 194 are male.

For examination of hearing loss we made the otoscopy, tonal audiometry, impedancometry.

From otoscopy: In 360 children we found normal tympanic membrane (90%); In 36 children (9%) is found Otitis Media with Effusion (OME); In 4 children(1%) we found Otitis Media (OM) purulent with perforation of tympanic membrane.

We made the tonal audiometry in all children (100%). The frequencies 125-8000 Hz were used. In 336 children we found normal curves (84 %). 2 children (0.5%) has sensorineural hearing loss, type moderate-severe). In 62 children one hearing loss

(20-30 dB) was found (15.5%). Most of them has passed or are suffering from OME.

From tympanometry we got these results: In 338 children (84.5%) A tympanogram; In 58 children (13%) C tympanogram; In 4 children (1%) flat tympanogram.

Conclusions. During the examination of hearing loss into 400 children 4-5 years old from Tirana we found only 2 children (0.5%) with sensorineural hearing loss. 62 children (15.5%) have mild hearing loss (20-30 dB), which doesn't affect their psychological and language development. From data gathered from parents almost 40 % of children have passed OM at least once. OME was found in 36 children (9%) and was accompanied with mild hearing loss (20 dB).

Humbja e dëgjimit tek fëmijët është një handicap i qetë dhe i fshehtë. Është i fshehtë, sepse fëmijët dhe veçanërisht infantët nuk mund të tregojnë se nuk dëgjojnë mirë. Përbën handicap se, nëse nuk zbulohet dhe trajtohet në kohë, humbja e dëgjimit tek fëmijët mund të çojë në vonesë ose mungesë të zhvillimit të të folurit dhe gjuhës; në probleme emocionale dhe në një përparim të dobët në mësim. Ky handicap ka kështu një kosto të konsiderueshme social-ekonomike.

Problemi i dëgjimit tek fëmijët është mjaft domethënës nëse marrim në konsideratë faktet e mëposhtme:

Nga studime të kryera nga klinika të specializuara jashtë vendit, rezulton që 1 fëmijë në 1000 lindje, lind me shurdhësi të thellë (nga depistime të kryera, këto vitet e fundit në Shqipëri rezultojnë të jenë tre fëmijë në 1000 lindje).

Në 2 fëmijë në 1000 mund të shkaktohet shurdhësi në fëmijërinë e hershme.

* Dërguar në Redaksi më 20 Janar 2005, miratuar për botim më 20 Mars 2005.

Nga Shërbimi i ORL, QSUT "Nënë Tereza" Tiranë.

Adresa për letërkëmbim: Sallavaci S.: Shërbimi i ORL, QSUT "Nënë Tereza" Tiranë.